



## POOL MAINTENANCE WITH CHLORINE

1. Before filling the pool with water, use the product Desalgin Jet. Dilute the product in a separate container at a 1:10 ratio. Use the resulting solution to scrub the pool walls and bottom.
2. Fill the pool with water.
3. Measure the pool water's pH level using special testers. Note: pH level must be measured every week. The correct pH range is between 7.0 and 7.4. If the level is too high, add pH Minus. 500 g of the product per 10 m<sup>3</sup> of water will reduce the pH level by 0.5 units. If the pH is not regulated, the chemicals may not work or may work improperly. Monitor pH weekly.
4. After adjusting the pH, add fast-acting chlorine tablets (Chloriklar) for a water shock. Use 1 tablet per 1 m<sup>3</sup> of water. This amount lasts for 1 week. Attention: do not throw the tablets directly into the pool — dissolve them in a separate container first, then pour the solution into the water. Alternatively, place them in the skimmer or a special dispenser.
5. If your pool has a sand or glass filtration system, we recommend also using Superflock, which helps clarify the water.
6. Two to three hours after pH adjustment, add 50 ml of Desalgin Jet per 10 m<sup>3</sup> of pool water. Then, add 50 ml per 10 m<sup>3</sup> weekly.
7. After using fast-acting chlorine, you can start using the pool after 24 hours.
8. To maintain chlorine levels, you will need slow-dissolving chlorine tablets and a floating skimmer. Use slow-dissolving chlorine a week after using the fast-acting chlorine. Monitor chlorine levels weekly using a tester.

QUESTIONS? NEED MORE SUPPLIES? CONTACT US:

 **+370 609 14143**

 **[info@esaunashop.com](mailto:info@esaunashop.com)**

 **[www.esaunashop.com](http://www.esaunashop.com)**

**POOL AND SAUNA INSTALLATION!**  
**ALL PRODUCTS AND EQUIPMENT FOR POOLS AND SAUNAS!**



## POOL MAINTENANCE WITHOUT CHLORINE

1. Before filling the pool with water, use the product Desalgin Jet. Dilute the product in a separate container at a 1:10 ratio. Use the resulting solution to scrub the pool walls and bottom.
2. Fill the pool with water.
3. Measure the pool water's pH level using special testers. Note: pH level must be measured every week. The correct pH range is between 7.0 and 7.4. If the level is too high, add pH Minus. 500 g of the product per 10 m<sup>3</sup> of water will reduce the pH level by 0.5 units. If the pH is not regulated, the chemicals may not work or may work improperly. Monitor pH weekly.
4. After adjusting the pH, you can use fast-acting chlorine tablets (Chloriklar) for an initial water shock. Use 1 tablet per 1 m<sup>3</sup> of water. Attention: do not throw the tablets directly into the pool — dissolve them in a separate container first, then pour the solution into the water. You can also place them in a skimmer or a special dispenser. We recommend using fast-acting chlorine for the initial shock, and then switching to chlorine-free treatment Soft and Easy. However, if you want to completely avoid chlorine, you can start using Soft and Easy immediately.
5. If your pool has a sand or glass filtration system, we recommend using Superflock to help clarify the water.
6. Two to three hours after pH adjustment, add 50 ml of Desalgin Jet per 10 m<sup>3</sup> of pool water. Then, add 50 ml per 10 m<sup>3</sup> weekly.
7. If you did not use fast-acting chlorine and only used active oxygen, the pool can be used immediately. If chlorine was used — wait 24 hours.
8. After the water clears and chlorine was used for the initial shock, you can start using Soft and Easy. This is a chlorine-free pool water care product based on active oxygen. If chlorine was used for the initial shock, don't worry — Soft and Easy neutralizes the chlorine. Use 1 double package per 20 m<sup>3</sup> of water.

QUESTIONS? NEED MORE SUPPLIES? CONTACT US:

 **+370 609 14143**

 **[info@esaunashop.com](mailto:info@esaunashop.com)**

 **[www.esaunashop.com](http://www.esaunashop.com)**

**POOL AND SAUNA INSTALLATION!**  
**ALL PRODUCTS AND EQUIPMENT FOR POOLS AND SAUNAS!**